

Other Name

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND	CERTIFICATE HOLDER DETA	** 0
CERTIFICATION AND	CERTIFICATE HOLDER DETA	11.5

Company Name MEAN WELL Enterprises Co., Ltd.

Address No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan

Client ID 107669 Global-Mark File Number: 107669-016

Certification and Authorized Mark Number GMA-512318 Revision Number 00

Certification Standard(s) AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For

D.C Or A.C Supplied Electronic Control Gear For Led Modules.

Type of Certification Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date 30/05/2022

Certificate Last Update Date

Certification Expiry Date 30/05/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager







System 1 Approval



CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050A	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050B	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050AB	Input: 100-240 Vac, 1.1A, 50/60Hz
	A			Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050D	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050D2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050DA	Input: 100-240 Vac, 1.1A, 50/60Hz
	II.			Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050ADA	Input: 100-240 Vac, 1.1A, 50/60Hz
	V			Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1050AD2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48-95 Vdc, max. 105 Vdc, 1,05 A, 99,75W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400A	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400B	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400AB	Input: 100-240 Vac, 1.1A, 50/60Hz
<u>I</u>				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400D	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400D2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400DA	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400ADA	Input: 100-240 Vac, 1.1A, 50/60Hz
		-7		Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-C1400AD2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 35-72 Vdc, max. 75 Vdc, 1,4 A, 100,8W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24A	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24B	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24AB	Input: 100-240 Vac, 1.1A, 50/60Hz
			(Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24D	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24D2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24DA	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24ADA	Input: 100-240 Vac, 1.1A, 50/60Hz
		10		Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-24AD2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 24 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.












Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36A	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36B	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36AB	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36D	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36D2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36DA	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36ADA	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-36AD2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 36 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42A	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42B	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42AB	Input: 100-240 Vac, 1.1A, 50/60Hz
		~	2	Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42D	Input: 100-240 Vac, 1.1A, 50/60Hz
		Co.		Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42D2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42DA	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 42 Vdc, 95,76W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42ADA	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-42AD2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 42 Vdc, 95,76W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48A	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48B	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48AB	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48D	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48D2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48DA	Input: 100-240 Vac, 1.1A, 50/60Hz
		A Comment		Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48ADA	Input: 100-240 Vac, 1.1A, 50/60Hz
	V			Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-48AD2	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 48 Vdc, 96W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 54 Vdc, 96,12W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54A	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 54 Vdc, 96,12W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54B	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 54 Vdc, 96,12W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54AB	Input: 100-240 Vac, 1.1A, 50/60Hz
				Output: 54 Vdc, 96,12W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54D	Input: 100-240 Vac, 1.1A, 50/60Hz Output: 54 Vdc, 96,12W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54D2	Input: 100-240 Vac, 1.1A, 50/60Hz Output: 54 Vdc, 96,12W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54DA	Input: 100-240 Vac, 1.1A, 50/60Hz Output: 54 Vdc, 96,12W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54ADA	Input: 100-240 Vac, 1.1A, 50/60Hz Output: 54 Vdc, 96,12W
Non declared	Independent LED driver - Non IC	MEAN WELL	ELG-100-54AD2	Input: 100-240 Vac, 1.1A, 50/60Hz Output: 54 Vdc, 96,12W

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as NON-IC - not suitable for residential installations, to be installed by licensed electrician

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



