

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

| CERTIFICATION AND | CERTIFICATE HOLDER DETAILS |
|-------------------|----------------------------|
|-------------------|----------------------------|

Company Name **MEAN WELL Enterprises Co., Ltd** Other Name

Address No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan

Client ID **107669** Global-Mark File Number: **107669-005** 

Certification and Authorized Mark Number GMA-511387 Revision Number 00

Certification Standard(s) AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For

D.C Or A.C Supplied Electronic Control Gear For Led Modules.

Type of Certification **Electrical Safety Product** Scheme **Global-Mark Electrical Product Safety Certification Scheme** 

### CERTIFICATE DATES

Certificate Issue Date 13/12/2021

Certificate Last Update Date

Certification Expiry Date 13/12/2026

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



Certification Manager








System 1 Approval



| CERTIFIED ELECTRICAL EQUIPMENT |                     |            |               |  |
|--------------------------------|---------------------|------------|---------------|--|
| Declared Article               | Product Description | Trade Name | Model Number  | Rating   |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240-12    | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +12Vdc, 16A, 192W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240-12A   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +12Vdc, 16A, 192W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240-12B   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +12Vdc, 16A, 192W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240H-12   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output:+12Vdc, 16A, 192W  |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240H-12A  | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +12Vdc, 16A, 192W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240H-12B  | Input: 100-240V~, 4.0A, 50/60Hz<br>Output:+12Vdc, 16A, 192W  |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240H-12AB | Input: 100-240V~, 4.0A, 50/60Hz<br>Output:+12Vdc, 16A, 192W  |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240-15    | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +15Vdc, 15A, 225W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240-15A   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +15Vdc, 15A, 225W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240-15B   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +15Vdc, 15A, 225W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240H-15   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +15Vdc, 15A, 225W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240H-15A  | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +15Vdc, 15A, 225W |
| Non declared                   | NON IC LED Driver   | MEANWELL   | HLG-240H-15B  | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +15Vdc, 15A, 225W |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.












| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-15AB     | Input: 100-240V~, 4.0A, 50/60Hz |
|--------------|--|-----------|-------------------|---------------------------------|
|              |  |           |                   | Output: +15Vdc, 15A, 225W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240-20        | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           |                   | Output: +20Vdc, 12A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240-20A       | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           | 7.                | Output: +20Vdc, 12A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240-20B       | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           |                   | Output: +20Vdc, 12A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-20       | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           |                   | Output: +20Vdc, 12A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-20A      | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           |                   | Output: +20Vdc, 12A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-20B      | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           |                   | Output: +20Vdc, 12A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-20AB     | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           |                   | Output: +20Vdc, 12A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240-24        | Input: 100-240V~, 4.0A, 50/60Hz |
|              | VI III   |           |                   | Output:+24Vdc, 10A, 240W        |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240-24A       | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           |                   | Output:+24Vdc, 10A, 240W        |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240-24B       | Input: 100-240V~, 4.0A, 50/60Hz |
|              | NONE DE LA CONTRACTION DEL CONTRACTION DE LA CON |           | ****              | Output:+24Vdc, 10A, 240W        |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-24       | Input: 100-240V~, 4.0A, 50/60Hz |
| N. 1 1 1     | NONTO LED D  | 100130000 | W G 0 10W 0 11    | Output: +24Vdc, 10A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-24A      | Input: 100-240V~, 4.0A, 50/60Hz |
| AT 1 1 1     | MONIGLED D   | MEANNANI  | THE CAPITOR       | Output: +24Vdc, 10A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-24B      | Input: 100-240V~, 4.0A, 50/60Hz |
| NT 1 1 1     | NONIGLED D   | MEANIMENT | THI CLOSED OF THE | Output: +24Vdc, 10A, 240W       |
| Non declared | NON IC LED Driver  | MEANWELL  | HLG-240H-24AB     | Input: 100-240V~, 4.0A, 50/60Hz |
|              |  |           | A                 | Output: +24Vdc, 10A, 240W       |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.












| Non declared | NON IC LED Driver | MEANWELL | HLG-240-30    | Input: 100-240V~, 4.0A, 50/60Hz         |
|--------------|-------------------|----------|---------------|---|
|              |                   |          |               | Output: +30Vdc, 8A, 240W                |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240-30A   | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          | 7             | Output: +30Vdc, 8A, 240W                |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240-30B   | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          | 37            | Output: +30Vdc, 8A, 240W                |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-30   | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +30Vdc, 8A, 240W                |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-30A  | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +30Vdc, 8A, 240W                |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-30B  | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +30Vdc, 8A, 240W                |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-30AB | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +30Vdc, 8A, 240W                |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240-36    | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +36Vdc, 6.7A, 241.2W            |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240-36A   | Input: 100-240V~, 4.0A, 50/60Hz         |
|              | P                 |          | 4             | Output: +36Vdc, 6.7A, 241.2W            |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240-36B   | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +36Vdc, 6.7A, 241.2W            |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-36   | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +36Vdc, 6.7A, 241.2W            |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-36A  | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          | 2             | Output: +36Vdc, 6.7A, 241.2W            |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-36B  | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +36Vdc, 6.7A, 241.2W            |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-36AB | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output: +36Vdc, 6.7A, 241.2W            |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240-42    | Input: 100-240V~, 4.0A, 50/60Hz         |
|              |                   |          |               | Output:+42Vdc, 5.72A, 240.24W           |
|              |                   |          |               | 1 |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.












| Non declared | NON IC LED Driver | MEANWELL     | HLG-240-42A      | Input: 100-240V~, 4.0A, 50/60Hz |
|--------------|-------------------|--------------|------------------|---------------------------------|
|              |                   | //           |                  | Output:+42Vdc, 5.72A, 240.24W   |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240-42B      | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              | 7                | Output:+42Vdc, 5.72A, 240.24W   |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-42      | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              | 7                | Output:+42Vdc, 5.72A, 240.24W   |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-42A     | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              |                  | Output:+42Vdc, 5.72A, 240.24W   |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-42B     | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              |                  | Output:+42Vdc, 5.72A, 240.24W   |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-42AB    | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              |                  | Output:+42Vdc, 5.72A, 240.24W   |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240-48       | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              |                  | Output: +48Vdc, 5A, 240W        |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240-48A      | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              |                  | Output: +48Vdc, 5A, 240W        |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240-48B      | Input: 100-240V~, 4.0A, 50/60Hz |
|              | V V               |              |                  | Output: +48Vdc, 5A, 240W        |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-48      | Input: 100-240V~, 4.0A, 50/60Hz |
|              | 110111011PD P     |              |                  | Output: +48Vdc, 5A, 240W        |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-48A     | Input: 100-240V~, 4.0A, 50/60Hz |
| AT 1 1 1     | NONTO LED D       | MILLANDINA   | TH C 0 10 T 10 D | Output: +48Vdc, 5A, 240W        |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-48B     | Input: 100-240V~, 4.0A, 50/60Hz |
| AT 1 1 1     | NONTO LED D       | A THE STREET | TH C 04011 404 B | Output: +48Vdc, 5A, 240W        |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240H-48AB    | Input: 100-240V~, 4.0A, 50/60Hz |
|              | 11011101101       |              |                  | Output: +48Vdc, 5A, 240W        |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240-54       | Input: 100-240V~, 4.0A, 50/60Hz |
| N. 1 1 1     | NONTO LED D       |              | W G 0 10 5 1 1   | Output: +54Vdc, 4.45A, 240.3W   |
| Non declared | NON IC LED Driver | MEANWELL     | HLG-240-54A      | Input: 100-240V~, 4.0A, 50/60Hz |
|              |                   |              |                  | Output: +54Vdc, 4.45A, 240.3W   |

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.











| Non declared | NON IC LED Driver | MEANWELL | HLG-240-54B   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +54Vdc, 4.45A, 240.3W |
|--------------|-------------------|----------|---------------|--|
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-54   | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +54Vdc, 4.45A, 240.3W |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-54A  | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +54Vdc, 4.45A, 240.3W |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-54B  | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +54Vdc, 4.45A, 240.3W |
| Non declared | NON IC LED Driver | MEANWELL | HLG-240H-54AB | Input: 100-240V~, 4.0A, 50/60Hz<br>Output: +54Vdc, 4.45A, 240.3W |

RELEVANT TRADEMARK (S)

### COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as NON IC not suitable for residential installation

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



