

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

CERTIFICATION AND CERTIFICATE HOLDER DETAILS						
Company Name	MEAN WELL En	terprises Co., Ltd.		Other Name		
Address	No.28, Wuquan 3	Brd Road, Wugu Dis			Taiwan	
Client ID	107669	Globa	l-Mark File Number:	107669-017	S	ystem 1 Approval
Certification and Authorized Mark Number	GMA-512319		Revision Nun	nber <mark>00</mark>		
Certification Standard(s)	AS 61347.2.13:201	18 & AS/NZS 61347.1	:2016 + A1 Lamp C	Control Gear - Par	rt 2-13: Particular Req	uirements For
	D.C Or A.C Supp	lied Electronic Con	trol Gear For Led N	Modules.		
Type of Certification					ety Certification Sche	me

		CERTIFICATE DATES		
Certificate Issue Date	24/04/2022			
Certificate Last Update Date				
Certification Expiry Date	24/04/2027		1	

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



**Certification Manager** 





Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-24AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



Certification Manager





Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24AB	Input: 100-240 Vac, 5,5A, 50/60Hz
	1			Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
		/		Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-24D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 24 Vdc, 20,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-30AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



Certification Manager





Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30	Input: 100-240 Vac, 5,5A, 50/60Hz
Non declared	independent EED unver - WOIVIE	WEARV WELL	1120-18011-50	Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30	Input: 100-240 Vac, 5,5A, 50/60Hz
Non deciared	independent LED driver - NON IC	WEAN WELL	nLG-+80H-30	Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared		MEAN WELL	HLG-480H-30A	
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
	1			Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30D2	Input: 100-240 Vac, 5,5A, 50/60Hz
	1			Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-30D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 30 Vdc, 16,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36	Input: 100-240 Vac, 5,5A, 50/60Hz
		8		Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36A	Input: 100-240 Vac, 5,5A, 50/60Hz
	independent EED univer - NOIVIC	WEAR WEEE	1120-10011-30/1	Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
				Output. 50 vuc, 15,5 /1 Natur 10wer. +70,0 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



Certification Manager





Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36A	Input: 100-240 Vac, 5,5A, 50/60Hz
i von declared	independent EED driver - ivoivite	MEAN WELL		Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36B	Input: 100-240 Vac, 5,5A, 50/60Hz
Non declared	independent EED driver - WOIVIE	WILMIN WELL	HEG-100H-50B	Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36B	Input: 100-240 Vac, 5,5A, 50/60Hz
Non deciared	independent LED driver - NON IC	WEAN WELL	HLG-+00H-30B	•
Non declared		MEAN WELL	HLG-480H-36AB	Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-36D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36	Input: 100-240 Vac, 5,5A, 50/60Hz
	•			Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36A	Input: 100-240 Vac, 5,5A, 50/60Hz
	1			Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36A	Input: 100-240 Vac, 5,5A, 50/60Hz
	1	S		Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36B	Input: 100-240 Vac, 5,5A, 50/60Hz
	T T T T T T T T T T T T T T T T T T T			Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36B	Input: 100-240 Vac, 5,5A, 50/60Hz
	independent EED arriver Troffere		in the state is th	Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
				output 55 rde, 15,5 mailed forent rroto m

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



Certification Manager





Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-36AB	Input: 100-240 Vac, 5,5A, 50/60Hz
	1			Output: 36 Vdc, 13,3 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42D2	Input: 100-240 Vac, 5,5A, 50/60Hz
		5 c		Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-42D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-42	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



Certification Manager





Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-42A	Input: 100-240 Vac, 5,5A, 50/60Hz
	1			Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-42B	Input: 100-240 Vac, 5,5A, 50/60Hz
	•			Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-42AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 42 Vdc, 11,4 A Rated Power: 478,8 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-48	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-48A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-48B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-48AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-48Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-48D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-48	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-48A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-48B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-48AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 48 Vdc, 10,0 A Rated Power: 480,0 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-54	Input: 100-240 Vac, 5,5A, 50/60Hz
		N.		Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-54A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



Certification Manager





Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-54B	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-54AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-54Dx	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLG-480H-54D2	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-54	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-54A	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-54B	Input: 100-240 Vac, 5,5A, 50/60Hz
	-			Output: 54 Vdc, 8,9 A Rated Power: 480,6 W
Non declared	Independent LED driver - NON IC	MEAN WELL	HLGP-480H-54AB	Input: 100-240 Vac, 5,5A, 50/60Hz
				Output: 54 Vdc, 8,9 A Rated Power: 480,6 W

#### **RELEVANT TRADEMARK (S)**

#### COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as NON IC not suitable for residential installations to be installed by licensed electrician

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jas-anz.org/register">www.jas-anz.org/register</a> for verification.



**Certification Manager** 

