

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

#### **CB TEST CERTIFICATE**

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Trademark (if any)

Customer's Testing Facility (CTF) Stage used

Independent LED controlgears

MEAN WELL Enterprises Co., Ltd.

No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891

Taiwan

MEAN WELL Enterprises Co., Ltd.

No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891

Taiwan

Additional information on page 2

MEAN WELL (GUANGZHOU) Electronics Co., Ltd. Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou 510890, Guangdong

China

100-240 Vac, 0,6 A, 50/60 Hz (for NPF-40y-z, PWM-40-y)

100-240 Vac, 0,8 A, 50/60 Hz (for NPF-60y-z, PWM-60-y, PWM-60-yDA)

Class II, IP67, ta: 50 °C, tc: 85 °C, λ: 0,95, independent SELV,

thermal protection: 110 °C, constant voltage type. Other information sees model list of test report.



This CB Test Certificate is issued by the National Certification Body

DEKRA Certification B.V. Meander 1051, NL-6825 MJ Arnhem, Netherlands

Date: 2019-12-31





## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

Model / Type Ref.

the "x" in the model name can be 40 or 60 to denote output wattage in watt; the "y" in the model name can be D or blank to denote with dimming function (D) or without (blank);

the "z" in the model name can be 12, 15, 20, 24, 30, 36, 42, 48 or 54 to denote output voltage in volt.

2) PWM-x-y:

the "x" in the model name can be 40 or 60 to denote output wattage in watt; the "y" in the models name can be 12, 24, 36 or 48 to denote output voltage in

3) PWM-60-yDA:

the "y" in the models name can be 12 or 24 to denote output voltage in volt.

4) PWM-60-xyzz

National differences:

the "x" in the models name can be 12 or 24 to denote output voltage in volt. the "y" in the models name can be KN or KNBST to denote with or without connector on KNX dimming wire.

the "z" in the models name can be blank, 0-9 or A to Z, denote different encryption protocol for KNX program.

Additional information (if necessary may also be reported on page 2)

Additional information on page 2

This CB Test Certificate is an addition to CB NL-56379 with Test Report Number 4349773.50 dated 2019-01-09 due to added new series model and factory.

IEC 61347-1:2015, IEC 61347-2-13:2014, IEC 61347-2-13:2014/AMD1:2016

A sample of the product was tested and found

EU Group Differences, EU Special National Conditions, AU, NZ 4359151.50

As shown in the Test Report Ref. No. which forms part of this Certificate

to be in conformity with

This CB Test Certificate is issued by the National Certification Body

DEKRA Certification B.V. Meander 1051, NL-6825 MJ Arnhem, Netherlands

Date: 2019-12-31



M trander Uma



# IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

#### Additional factory

MEAN WELL Enterprises Co., Ltd.

No.28, Wuquan 3rd Rd, Wugu District, New Taipei City 24891

Taiwan

SuZhou MEAN WELL Technology Co., Ltd.

No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town,

Xiang-cheng District, Suzhou 215152, Jiangsu

China

YONGDEN TECHNOLOGY CORPORATION

345 MacArthur HighWay Tabang, Guiguinto, Bulacan, 3015

Philippines

This CB Test Certificate is issued by the National Certification Body

DEKRA Certification B.V. Meander 1051, NL-6825 MJ Arnhem, Netherlands

Date: 2019-12-31



Signature: Miranda Zhou

M Arander Uma