

# QQJQ2.E183223 - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

## Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component

### MEAN WELL ENTERPRISES CO LTD

E183223

No 28 Wuquan 3rd Rd  
Wugu District  
New Taipei City, 24891 Taiwan

Marking: Company name model designation, and the Recognized Component Mark   
Note: For additional marking information, refer to the [Guide Information Page](#).

View model for additional information

Model(s): AD-155A, AD-155B, AD-155C, AD-55A, AD-55B, ADD-155A, ADD-155B, ADD-155C, ADD-55A, ADD-55B, ADS-15512, ADS-15512SM, ADS-15524, ADS-15524, ADS-15548, CSP-3000-x, DBUF20-24, DBUF40-24, DDR-240C-48, DDR-480B-12, DDR-480B-24, DDR-480B-48, DDR-480C-12, DDR-480C-24, DDR-480C-48, DDR-480D-12, DDR-480D-24, DDR-480D-48, DDR-60G-05, DDR-60G-12, DDR-60G-15, DDR-60G-24, DDR-60L-05, DDR-60L-12, DDR-60L-15, DDR-60L-24, DETN01L-05, DETN01L-12, DETN01L-15, DETN01M-05, DETN01M-12, DETN01M-15, DETN01N-05, DETN01N-12, DETN01N-15, DRA-40-12, DRA-40-24, DRA-60-12, DRA-60-24, DRC-100A, DRC-100B, DRC-40A, DRC-40B, DRC-60A, DRC-60B, DRDN20-12, DRDN20-24, DRDN20-48, DRDN40-12, DRDN40-24, DRDN40-48, ELP-75-12, ELP-75-15, ELP-75-24, ELP-75-3.3, ELP-75-36, ELP-75-48, ELP-75-5, EPP-100-12, EPP-100-24KS, EPP-100-15, EPP-100-24KS, EPP-100-24, EPP-100-24KS, EPP-100-27, EPP-100-24KS, EPP-100-48, EPP-100-24KS, EPP-120S-12, EPP-120S-15, EPP-120S-24, EPP-120S-27, EPP-120S-48, EPP-150-12, EPP-100-24KS, EPP-150-15, EPP-100-24KS, EPP-150-24, EPP-100-24KS, EPP-150-27, EPP-100-24KS, EPP-150-48, EPP-100-24KS, EPP-300-12, EPP-300-12CB, EPP-300-15, EPP-300-24, EPP-300-27, EPP-300-48, EPP-400-12, EPP-400-15, EPP-400-18, EPP-400-24, EPP-400-27, EPP-400-36, EPP-400-48, EPP-500-12, EPP-500-15, EPP-500-18, EPP-500-24, EPP-500-27, EPP-500-36, EPP-500-48, EPP-500-54, EPS-120-12 (\$), EPS-120-12 (%), EPS-120-15 (\$), EPS-120-15 (%), EPS-120-24 (\$), EPS-120-24 (%), EPS-120-27 (\$), EPS-120-27 (%), EPS-120-48 (\$), EPS-120-48 (%), EPS-15-12, EPS-15-15, EPS-15-24, EPS-15-27, EPS-15-3.3, EPS-15-36, EPS-15-48, EPS-15-5, EPS-15-7.5, EPS-25-12, EPS-25-15, EPS-25-24, EPS-25-27, EPS-25-3.3, EPS-25-36, EPS-25-48, EPS-25-5, EPS-25-7.5, EPS-35-12, EPS-35-15, EPS-35-24, EPS-35-27, EPS-35-3.3, EPS-35-36, EPS-35-48, EPS-35-5, EPS-35-7.5, EPS-45-12z (@), EPS-45-15z (@), EPS-45-24z (@), EPS-45-3.3z (@), EPS-45-36z (@), EPS-45-48z (@), EPS-45-5z (@), EPS-45-7.5z (@), EPS-45S-12, EPS-45S-15, EPS-45S-24, EPS-45S-3.3, EPS-45S-48, EPS-45S-5, EPS-45S-7.5, EPS-65-12z (@), EPS-65-15z (@), EPS-65-24z (@), EPS-65-3.3z (@), EPS-65-36z (@), EPS-65-48z (@), EPS-65-5z (@), EPS-65-7.5z (@), EPS-65S-12, EPS-65S-15, EPS-65S-24, EPS-65S-3.3, EPS-65S-48, EPS-65S-5, EPS-65S-7.5, ERDN20-12, ERDN20-24, ERDN20-48, ERDN20-5, ERDN40-12, ERDN40-24, ERDN40-48, ERP-350-12, ERP-350-24, ERP-350-36, ERP-350-48, HDP-190, HDP-240, HDR-100-12, HDR-100-12N, HDR-100-15, HDR-100-15N, HDR-100-24, HDR-100-24N, HDR-100-48, HDR-100-48N, HDR-150-12, HDR-150-15, HDR-150-24, HDR-150-48, HDR-15-12, HDR-15-15, HDR-15-24, HDR-15-48, HDR-15-5, HDR-30-12, HDR-30-15, HDR-30-24, HDR-30-48, HDR-30-5, HDR-60-12, HDR-60-15, HDR-60-24, HDR-60-48, HDR-60-5, HEP-1000-100Wa a can be blank, PM or CAN, HEP-1000-100WCz z can be PM or CAN, HEP-1000-100y y can be blank or CAN, HEP-1000-24Wa a can be blank, PM or CAN, HEP-1000-24WCz z can be PM or CAN, HEP-1000-24y y can be blank or CAN, HEP-1000-48Wa a can be blank, PM or CAN, HEP-1000-48WCz z can be PM or CAN, HEP-1000-48y y can be blank or CAN, HEP-100-12, HEP-100-12A, HEP-100-15, HEP-100-15A, HEP-100-24, HEP-100-24A, HEP-100-36, HEP-100-36A, HEP-100-48, HEP-100-48A, HEP-100-54, HEP-100-54A, HEP-150-12, HEP-150-12A, HEP-150-15, HEP-150-15A, HEP-150-24, HEP-150-24A, HEP-150-36, HEP-150-36A, HEP-150-48, HEP-150-48A, HEP-150-54, HEP-150-54A, HEP-185-12, HEP-185-12A, HEP-185-15, HEP-185-15A, HEP-185-24, HEP-185-24A, HEP-185-36, HEP-185-36A, HEP-185-48, HEP-185-48A, HEP-185-54, HEP-185-54A, HEP-240-12, HEP-

Feedback



3.3, RS-25-48, RS-25-5, RS-35-12, RS-35-15, RS-35-24, RS-35-3.3, RS-35-48, RS-35-5, RS-50-12, RS-50-15, RS-50-24, RS-50-3.3, RS-50-48, RS-50-5, RS-75-12, RS-75-15, RS-75-24, RS-75-3.3, RS-75-48, RS-75-5, RSD-100B-12, RSD-100B-24, RSD-100B-5, RSD-100C-24, RSD-100C-5, RSD-100D-12, RSD-100D-24, RSD-100D-5, RSD-300B-12, RSD-300B-24, RSD-300B-48, RSD-300B-5, RSD-300C-12, RSD-300C-24, RSD-300C-48, RSD-300C-5, RSD-300D-12, RSD-300D-24, RSD-300D-48, RSD-300D-5, RSD-300E-12, RSD-300E-24, RSD-300E-48, RSD-300E-5, RSD-300F-12, RSD-300F-24, RSD-300F-48, RSD-300F-5, RSD-30G-12, RSD-30G-24, RSD-30G-3.3, RSD-30G-5, RSD-30H-12, RSD-30H-24, RSD-30H-3.3, RSD-30H-5, RSD-30L-12, RSD-30L-24, RSD-30L-3.3, RSD-30L-5, RSD-500B-12, RSD-500B-24, RSD-500B-48, RSD-500C-12, RSD-500C-24, RSD-500C-48, RSD-500D-12, RSD-500D-24, RSD-500D-48, RSD-60G-12, RSD-60G-12, RSD-60G-24, RSD-60G-24, RSD-60G-3.3, RSD-60G-3.3, RSD-60G-5, RSD-60G-5, RSD-60H-12, RSD-60H-12, RSD-60H-24, RSD-60H-24, RSD-60H-3.3, RSD-60H-3.3, RSD-60H-5, RSD-60H-5, RSD-60L-12, RSD-60L-12, RSD-60L-24, RSD-60L-24, RSD-60L-3.3, RSD-60L-3.3, RSD-60L-5, RSD-60L-5, RSP-1000-15, RSP-1000-27, RSP-1000-48ADT, RSP-100-12, RSP-100-13.5, RSP-100-15, RSP-100-24, RSP-100-27, RSP-100-3.3, RSP-100-48, RSP-100-5, RSP-100-7.5, RSP-1500-12, RSP-1500-15, RSP-1500-24, RSP-1500-27, RSP-1500-27VS, RSP-1500-48, RSP-1500-5, RSP-150-12, RSP-150-12[\*r], RSP-150-13.5, RSP-150-13.5[\*r], RSP-150-15, RSP-150-15[\*r], RSP-150-24[\*r], RSP-150-27, RSP-150-27[\*r], RSP-150-3.3, RSP-150-3.3[\*r], RSP-150-48, RSP-150-48[\*r], RSP-150-5, RSP-150-5[\*r], RSP-150-7.5, RSP-150-7.5[\*r], RSP-1600-27, RSP-1600-27PM, RSP-1600-36, RSP-1600-36PM, RSP-200-12, RSP-200-13.5, RSP-200-15, RSP-200-2.5, RSP-200-24, RSP-200-27, RSP-200-3.3, RSP-200-36, RSP-200-4, RSP-200-48, RSP-200-5, RSP-200-7.5, RSP-2400-12, RSP-2400-24, RSP-2400-48, RSP-3000-12, RSP-3000-24, RSP-3000-30MIO, RSP-3000-48, RSP-3000-48CC, RSP-3000-48NLP, RSP-320-12, RSP-320-13.5, RSP-320-15, RSP-320-2.5, RSP-320-24, RSP-320-27, RSP-320-3.3, RSP-320-36, RSP-320-36NP, RSP-320-4, RSP-320-4.2, RSP-320-48, RSP-320-5, RSP-320-7.5, RSP-500-12, RSP-500-15, RSP-500-24, RSP-500-27, RSP-500-3.3, RSP-500-4, RSP-500-48, RSP-500-5, RSP-750-12, RSP-750-15, RSP-750-24, RSP-750-27, RSP-750-48, RSP-750-48KS, RSP-750-5, RSP-75-12, RSP-75-13.5, RSP-75-15, RSP-75-24, RSP-75-27, RSP-75-3.3, RSP-75-48, RSP-75-5, RSP-75-7.5, RST-10000-24, RST-10000-36, RST-10000-48, RST-5000-24, RST-5000-36, RST-5000-48, RT-125A, RT-125B, RT-125C, RT-125D, RT-50A, RT-50B, RT-50C, RT-50D, RT-65A, RT-65B, RT-65C, RT-65D, RT-85A, RT-85B, RT-85C, RT-85D, SBTN01L-05, SBTN01L-12, SBTN01L-15, SBTN01M-05, SBTN01M-12, SBTN01M-15, SBTN01N-05, SBTN01N-12, SBTN01N-15, SCP-35-12, SCP-35-24, SCP-50-12, SCP-50-24, SD-200C-12, SD-200C-24, SD-200C-5, SDR-240-24, SDR-240-48, SDR-240-55, SE-1000-12, SE-1000-15, SE-1000-24, SE-1000-48, SE-1000-5, SE-1000-9, SE-1500-12, SE-1500-15, SE-1500-24, SE-1500-27, SE-1500-48, SE-1500-5, SE-450-12, SE-450-15, SE-450-24, SE-450-3.3, SE-450-36, SE-450-48, SE-450-5, SE-600-12, SE-600-15, P-600-13.8, SE-600-24, SE-600-27, P-600-27, SE-600-36, SE-600-48, P-600-48, SE-600-5, SFTN01L-05, SFTN01L-12, SFTN01L-15, SFTN01M-05, SFTN01M-12, SFTN01M-15, SFTN01N-05, SFTN01N-12, SFTN01N-15, SP-320-24, TS-1000-224GPT, UHP-1000-12, UHP-1000-24, UHP-1000-36, UHP-1000-48, UHP-200-12, UHP-200R-12, UHP-200-15, UHP-200R-15, UHP-200-24, UHP-200R-24, UHP-200-3.3, UHP-200R-3.3, UHP-200-36, UHP-200R-36, UHP-200-4.2, UHP-200R-4.2, UHP-200-48, UHP-200R-48, UHP-200-5, UHP-200R-5, UHP-200-55, UHP-200R-55, UHP-200A-4.2, UHP-200A-4.5, UHP-200A-5, UHP-2500-24y (y=blank, PM or CAN), UHP-2500-36y (y=blank, PM or CAN), UHP-2500-48y (y=blank, PM or CAN), UHP-350-12, UHP-350R-12, UHP-350-15, UHP-350R-15, UHP-350-24, UHP-350R-24, UHP-350-3.3, UHP-350R-3.3, UHP-350-36, UHP-350R-36, UHP-350-4.2, UHP-350R-4.2, UHP-350-48, UHP-350R-48, UHP-350-5, UHP-350R-5, UHP-350-55, UHP-350R-55, UHP-500-12, UHP-500R-12, UHP-500-15, UHP-500R-15, UHP-500-24, UHP-500R-24, UHP-500-36, UHP-500R-36, UHP-500-4.2, UHP-500R-4.2, UHP-500-48, UHP-500R-48, UHP-500-5, UHP-500R-5, UHP-500-55, UHP-500R-55, UHP-750-12, UHP-750-24, UHP-750-36, UHP-750-48

Model(s): EPP-120S-x (x can be 12, 15, 15GW, 24, 27, 48)

Model(s): HLG-240x-12, HLG-240x-12A, HLG-240x-12B, HLG-240x-12C

Model(s): HLG-240x-15, HLG-240x-15A, HLG-240x-15B, HLG-240x-15C

Model(s): HLG-240x-20, HLG-240x-20A, HLG-240x-20B, HLG-240x-20C

Model(s): HLG-240x-24, HLG-240x-24A, HLG-240x-24B, HLG-240x-24C, HLG-240H-24SI

Model(s): HLG-240x-30, HLG-240x-30A, HLG-240x-30B, HLG-240x-30C

Model(s): HLG-240x-36, HLG-240x-36A, HLG-240x-36B, HLG-240x-36C

Model(s): HLG-240x-42, HLG-240x-42A, HLG-240x-42B, HLG-240x-42C

Model(s): HLG-240x-48, HLG-240x-48A, HLG-240x-48B, HLG-240x-48C

Model(s): HLG-240x-54, HLG-240x-54A, HLG-240x-54B, HLG-240x-54C

Model(s): IRM-03-XY X = 3.3, 5, 9, 12, 15 or 24, Y = S or blank

Model(s): LRS-600-5, LRS-600-12, LRS-600-15, LRS-600-24, LRS-600-27, LRS-600-36, LRS-600-48

Model(s): MP450-aaaaa, MP450-aaab, MP450-aaba, MP450-abaa, MP450-baaa, MP450-abbc, MP450-bbac, MP450-bab, MP450-aaabd, MP450-aabad, MP450-abaad, MP450-baaad (!)

Model(s): MP650-aaaaa, MP650-aaab, MP650-aaba, MP650-abaa, MP650-baaa, MP650-abbc, MP650-bbac, MP650-bab, MP650-aaabd, MP650-aabad, MP650-abaad, MP650-baaad (!).

Model(s): RCB-1600-12, RCB-1600-12CAN, RCB-1600-12NE

Model(s): RCB-1600-24, RCB-1600-24CAN, RCB-1600-24NE

Model(s): RCP-3K1Uz-12y (y= -C or blank; z=I or T).

Model(s): RCP-3K1Uz-24y (y= -C or blank; z=I or T).

Model(s): RCP-3K1Uz-48y (y= -C or blank; z=I or T).

Model(s): RHP-1Uy-A, RHP-8K1Uy-X (X = 12; y can be I or T) (with RCB-1600-12 series).

Model(s): RHP-1Uy-A, RHP-8K1Uy-X (X = 12; y can be I or T) (with RCP-1600-12 series).

Model(s): RHP-1Uy-A, RHP-8K1Uy-X (X = 24; y can be I or T) (with RCB-1600-24 series).

Model(s): RHP-1Uy-A, RHP-8K1Uy-X (X = 24; y can be I or T) (with RCP-1600-24 series).

Model(s): RHP-1Uy-A, RHP-8K1Uy-X (X = 48; y can be I or T) (with RCB-1600-48 series).

Model(s): RHP-1Uy-A, RHP-8K1Uy-X (X = 48; y can be I or T) (with RCP-1600-48 series).

Model(s): RSP-1000-12, RCP-1000-12y (y= -C or blank).

Model(s): RSP-1000-24, RCP-1000-24y (y= -C or blank).

Model(s): RSP-1000-48, RSP-1000-48SI, RSP-1000-48SI2, RCP-1000-48y (y= -C or blank).

Model(s): RSP-1600-12, RSP-1600-12CAN, RSP-1600-12PM

Model(s): RSP-1600-24, RSP-1600-24CAN, RSP-1600-24PM

Model(s): RSP-1600-48, RSP-1600-48CAN, RSP-1600-48PM

Model(s): SHP-10K-115yz y=L or blank z= blank, -PM or -MOD

Model(s): SHP-10K-230yz y=L or blank z= blank, -PM or -MOD

Model(s): SHP-10K-380yz y=L or blank z= blank, -PM or -MOD

Model(s): SHP-10K-55yz y=L or blank z= blank, -PM or -MOD

**Buffer module**, Model(s): HRP-600N-12, HRP-600N-24, HRP-600N-36, HRP-600N-48, MP1K0-aaaaaaa, RPD-65D-FET, SCP-75-12, SCP-75-24, TDR-480-24, TDR-480-48

**DC-DC Converter**, Model(s): DDR-120A-12, DDR-120A-24, DDR-120A-48, DDR-120B-12, DDR-120B-24, DDR-120B-48, DDR-120C-12, DDR-120C-24, DDR-120C-48, DDR-120D-12, DDR-120D-24, DDR-120D-48, DDR-480B-12, DDR-480B-24, DDR-480B-48, DDR-480C-12, DDR-480C-24, DDR-480C-48, DDR-480D-12, DDR-480D-24, DDR-480D-48, ROB40W12-110S05, ROB40W12-110S12, ROB40W12-110S24, ROB40W12-110S48, ROB40W12-110S54, ROB60W12-110S05, ROB60W12-110S12, ROB60W12-110S24, ROB60W12-110S48, ROB60W12-110S54, RSD-500B-12, RSD-500B-24, RSD-500B-48, RSD-500C-12, RSD-500C-24, RSD-500C-48, RSD-500D-12, RSD-500D-24, RSD-500D-48

**DC-DC Converter**, Model(s): DDR-15x-y x = G or L, y = 3.3, 5, 12, 15 or 24

**DC-DC Converter**, Model(s): DDR-240x-y, where x can be B, C or D for input voltage range, y can be 24 or 48 which denoted for output voltage

**DC-DC Converter**, Model(s): DDR-30x-y, where x = G or L, y = 5, 12, 15 or 24

**DC-DC Converter**, Model(s): DDR-60x-y, x = G or L, y = 5, 12, 15 or 24

**DC-UPS Module**, Model(s): DUPS20

**Din-Rail Switching Power Supply**, Model(s): DRC-180A, DRC-180B, DRS-480-x (where x can be 24, 36, 48)

**Din-Rail Switching Power Supply**, Model(s): DRS-240-x (where x can be 12, 24, 36, 48 which denoted for output voltage)

**High Reliable Battery Charger & Power Supply**, Model(s): NPP-1700-X X = 12, 24, 48

**High Reliable Battery Charger & Power Supply**, Model(s): NPP-450-x (where x can be 12, 24, 48 or 72)

**High Reliable Battery Charger & Power Supply, High Reliable Intelligent Battery Charger**, Model(s): NPB-1200-x (where x can be 12, 24, 48), NPP-1200-x (where x can be 12, 24, 48)

**High Reliable Intelligent Battery Charger**, Model(s): NPB-1700-X X = 12, 24, 48, NPB-750-x where "x" can be 12, 24, or 48, NPP-750-x where "x" can be 12, 24, or 48

**High Reliable Intelligent Battery Charger**, Model(s): NPB-450-x (where x can be 12, 24, 48 or 72)

**Power Module**, Model(s): DBR-3200-24y y can be blank or CAN, DBR-3200-48y y can be blank or CAN, DRP-3200-24y y can be blank or CAN, DRP-3200-48y y can be blank or CAN, DRP-3200-48YI1, DRP-3200-48YI2, RCB-1600-zNE z can be 12 or 24

**Power Module**, Model(s): RCB-1600-xy x can be 12, 24 or 48 y can be blank or CAN

**Power Module**, Model(s): RCP-1600-xy x can be 12, 24 or 48 y can be blank or CAN

**Power Supply**, Model(s): EH-30

**Rack System**, Model(s): DHB-12K1UT-24 (with DBR-3200-24y), DHB-12K1UT-48 (with DBR-3200-48y), DHP-12K1UT-24 (with DRP-3200-24y), DHP-12K1UT-48 (with DRP-3200-48y), DHP-1UT-A (with DBR-3200-24y), DHP-1UT-A (with DBR-3200-48y), DHP-1UT-A (with DRP-3200-24y), DHP-1UT-A (with DRP-3200-48y), DHP-1UT-B (with NCP-3200-24y), DHP-1UT-B (with NCP-3200-48y), RHP-1Uy-A y can be I or T

**Rack System**, Model(s): RHB-8K1Uy-X X can be 12, 24 or 48 y can be I or T

**Rack System**, Model(s): RHP-8K1Uy-X X can be 12, 24 or 48 y can be I or T

**Switching Mode Power Supply**, Model(s): DBU-3200-24y y can be blank or CAN, DBU-3200-48y y can be blank or CAN, DPU-3200-24z z can be blank, PM or CAN, DPU-3200-48ADT, DPU-3200-48z z can be blank, PM or CAN, NCP-3200-24y y can be blank or CAN, NCP-3200-48y y can be blank or CAN, NSP-3200-24z z can be blank, PM or CAN, NSP-3200-48z z can be blank, PM or CAN

**Switching Mode Power Supply**, Model(s): NSP-1600-x2z x2 can be 12, 24, 36 or 48, z can be blank, PM or CAN

**Switching Mode Power Supply**, Model(s): RPB-1600-xy x can be 12, 24 or 48 y can be blank or CAN

**Switching Mode Power Supply**, Model(s): RSP-1600-x1 x1 can be 12, 24, 27, 36 or 48

**Switching Mode Power Supply**, Model(s): RSP-1600-x1CAN x1 can be 12, 24, 27, 36 or 48

**Switching Mode Power Supply**, Model(s): RSP-1600-x1PM x1 can be 12, 24, 27, 36 or 48

**Switching Power Supply**, Model(s): BIC-2200-12-y y=blank or CAN, BIC-2200-24y y=blank or CAN, BIC-2200-48y y=blank or CAN, BIC-2200-96y y=blank or CAN, EPP-200-12, EPP-200-15, EPP-200-24, EPP-200-27, EPP-200-27HOL2, EPP-200-48, EPP-200-54BMD, EPP-300-12RS, EPS-120-x (x=12, 12KS, 15, 24, 27 or 48), GS60A48-CIS2, GS60A48-CIS5, GS60A48-CIS5U, HEP-150-28EC, HEP-600-12, HEP-600-15, HEP-600-20, HEP-600-24, HEP-600-30, HEP-600-36, HEP-600-42, HEP-600-48, HEP-600-54, HEP-600C-12, HEP-600C-24, HEP-600C-48, HLG-600H-24AWI, HRP-150N-12, HRP-150N-24, HRP-150N-36, HRP-150N3-Y (Y=12, 24, 36, 48), HRP-150N-48, HRP-300N-12, HRP-300N-24, HRP-300N3-12, HRP-300N3-24, HRP-300N3-36, HRP-300N3-48, HRP-300N-36, HRP-300N-48, HRP-600N3-Y Y= 12, 24, 36 or 48, IRM-01-XY, IRM-02-XY, IRM-05-x (x can be 3.3, 5, 12, 15, 24), IRM-10-x (x can be 3.3, 5, 12, 15, 24), IRM-15-x x can be 3.3, 5, 12, 15, 24., IRM-20-x x can be 3.3, 5, 12, 15, 24., LAD-120x (where x can be A,B,C,D), LAD-360-xU (where x can be B, C, D), LRS-100-24GWT, LSP-160-12T, LSP-160-12W, LSP-160-24T, LSP-160-24W, LSP-160-3.3T, LSP-160-3.3W, LSP-160-36T, LSP-160-36W, LSP-160-4.2T, LSP-160-4.2W, LSP-160-48T, LSP-160-48W, LSP-160-5T, LSP-160-5W, LSP-160R-3.3T, LSP-160R-3.3W, LSP-160R-4.2T, LSP-160R-4.2W, LSP-160R-5T, LSP-160R-5W, NMS-240-05, NMS-240-12, NMS-240-24, NMS-240-48, PHP-3500-115, PHP-3500-115CAN, PHP-3500-230, PHP-3500-230CAN, PHP-3500-380, PHP-3500-380CAN,

PMPN4001A, PPS-125-12, PPS-125-13.5, PPS-125-15, PPS-125-24, PPS-125-27, PPS-125-3.3, PPS-125-48, PPS-125-5, PPT-125A, PPT-125B, PPT-125C, PPT-125D, RPT-60CSH, RSP-150-24, RSP-150-24AS, RSP-150-24MW, RST-15K-115, RST-15K-230, RST-15K-380, RST-7K5-115, RST-7K5-115L, RST-7K5-230, RST-7K5-230L, RST-7K5-380, RST-7K5-380L, RT-125CSH, UHP-1500-115y (y=blank, PM or CAN), UHP-1500-230y (y=blank, PM or CAN), UHP-1500-24y (y=blank, PM or CAN), UHP-1500-380E, UHP-1500-380y (y=blank, PM or CAN), UHP-1500-48y (y=blank, PM or CAN)

**Switching Power Supply**, Model(s): CPN: 341-101267-xx Ax (where x may be any alphanumeric characters).

**Switching Power Supply**, Model(s): CPN: 341-101359-xx Ax (where x may be any alphanumeric characters).

**Switching Power Supply**, Model(s): LAD-600x (where x can be B,BU,C,CU,D,DU)

**Switching Power Supply**, Model(s): LAD-xy (where x=240 y=A, B, C, D, x=360 y= B, C, D)

**Switching Power Supply**, Model(s): LRS-100-x x=3.3, 5, 12, 15, 24, 36 or 48. To denote the different output voltage. "3.3" means 3.3 Vdc "48" means 48 Vdc.

**Switching Power Supply**, Model(s): LRS-200-x (x=3.3, 4.2, 5, 12, 15, 24, 36, 48)

**Switching Power Supply**, Model(s): LRS-350-x (x=3.3, 4.2, 5, 12, 15, 24, 36, 48)

**Switching Power Supply**, Model(s): NMP1K2-aaaaaa-xx a = C, D, E, H, K or # for code of different Power Module. x = 0-9 for marketing purpose

**Switching Power Supply**, Model(s): NMP650-aaaa-xx a = C, D, E, H, K or # for code of different Power Module. x = 0-9 for marketing purpose

**Switching Power Supply**, Model(s): NPB-120-12TB, NPB-120-12AD1-A, NPB-120-12XLR-A

**Switching Power Supply**, Model(s): NPB-120-24TB, NPB-120-24AD1-A, NPB-120-24XLR-A

**Switching Power Supply**, Model(s): NPB-120-48TB, NPB-120-48AD1, NPB-120-48XLR

**Switching Power Supply**, Model(s): NPB-240-12TB, NPB-240-12AD1, NPB-240-12XLR

**Switching Power Supply**, Model(s): NPB-240-24TB, NPB-240-24AD1, NPB-240-24XLR

**Switching Power Supply**, Model(s): NPB-240-48TB, NPB-240-48AD1, NPB-240-48XLR

**Switching Power Supply**, Model(s): NPB-360-12TB, NPB-360-12AD1-A, NPB-360-12XLR-A

**Switching Power Supply**, Model(s): NPB-360-24TB, NPB-360-24AD1-A, NPB-360-24XLR-A

**Switching Power Supply**, Model(s): NPB-360-48TB, NPB-360-48AD1, NPB-360-48XLR

**Switching Power Supply**, Model(s): UMP-400-yxxx (y=24 or 48, x=A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U or blank, when y=24, x=A. B. C. E. F. G. I. J. K. M. N. O. P. Q. R. S. T. U or blank, when y=48, x=A, B, C, D, E, F, G, H, I, J, K, L, or blank)

**Switching Power Supply Module or Rack System or Switching Power Supply**, Model(s): RCP-2000-12, RSP-2000-12, RCP-2000-24, RSP-2000-24, RCP-2000-48, RSP-2000-48, RSP-2000-48RS, RKP-6K1UI- CMU1-12, RKP-6K1UT- CMU1-12, RKP-6K1UI- CMU1-24, RKP-6K1UT- CMU1-24, RKP-6K1UI-12, RKP-6K1UT-12, RKP-6K1UI-24, RKP-6K1UT-24, RKP-6K1UI-48, RKP-6K1UT-48, RKP-6K1UI-CMU1-48, RKP-6K1UT-CMU1-48, RSP-2000-36, RSP-2000-36BN, RSP-2000-48ADT

**Switching Power Supply, "HEP-2300"**, Model(s): HEP-2300-115yz (y=blank or W and z=blank, PM or CAN) (When y=blank, z=blank or PM. When y=W, z=blank, PM or CAN)

**Switching Power Supply, "HEP-2300"**, Model(s): HEP-2300-230yz (y=blank or W and z=blank, PM or CAN) (When y=blank, z=blank or PM. When y=W, z=blank, PM or CAN)

**Switching Power Supply, "HEP-2300"**, Model(s): HEP-2300-380yz (y=blank or W and z=blank, PM or CAN) (When y=blank, z=blank or PM. When y=W, z=blank, PM or CAN)

**Switching Power Supply, "HEP-2300"**, Model(s): HEP-2300-55yz (y=blank, W or H and z=blank, PM, CAN or MOD) (When y=blank, z=blank or PM. When y=W, z=blank, PM or CAN. When y=H, z=blank, PM or MOD)

**True Sine Wave Inverter.** Model(s): NTS-2200-248TB

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."