



Declaration of Conformity

| For the following equipment: | | | | | | | |
|---|------------------|-----------------------------|--|--------------|------------------|----------------------|--|
| Product Name: Switching Power Supply | | | | | | | |
| Model Designation: RST-10000-X (X=24,36,48) | | | | | | | |
| is herewith confirmed to cowere applied: | omply with | the requirements set | out in the | Council D | irective, the fo | llowing standards | |
| RoHS Directive (2011 | /65/EU)、(| (EU)2015/863 | | | | | |
| Low Voltage Directive (2014/35/EU): | | | | | | | |
| EN62368-1:2014+A11 | | | TUV certificate No: R50456495 | | | | |
| Electromagnetic Comp | atibility D | irective (2014/30/ | EU): | | | | |
| EMI (Electro-Magnetic Int Conducted emission / Radi | | | | | Class | 4 | |
| Harmonic current | EN61000- | -3-2:2014 | | | | | |
| Voltage flicker | EN61000- | -3-3:2013 | | | | | |
| EMS (Electro-Magnetic Susceptibility) | | | | | | | |
| EN55024:2010+A1:2015 | EN61000- | 6-2:2005 | | | | | |
| ESD air | EN61000- | -4-2:2009 | | Level 3 | 8KV | | |
| ESD contact | EN61000- | -4-2:2009 | | Level 2 | 4KV | | |
| RF field susceptibility | EN61000- | -4-3:2006+A1:2008+ <i>i</i> | A2:2010 | Level 3 | 10V/m | | |
| EFT bursts | EN61000-4-4:2012 | | | Level 3 | 2KV/5KHz | | |
| Surge susceptibility | EN61000- | -4-5:2014 | | Level 4 | 2KV/Line-Line | 9 | |
| Surge susceptibility | EN61000- | -4-5:2014 | | Level 4 | 4KV/Line-Ear | th | |
| Conducted susceptibility | EN61000- | -4-6:2014 | | Level 3 | 10V | | |
| Magnetic field immunity | EN61000- | -4-8:2010 | | Level 4 | 30A/m | | |
| Voltage dip, interruption Note: | EN61000-4 | l-11:2004 >95% dip 0.5 | periods 30° | % dip 25 per | iods >95% inter | ruptions 250 periods | |
| A component power supply with load will be installed into final equipment which consists of an electronically shielded metal enclosure. Since EMC performance will be affected by the complete installation, the final equipment manufacturers must re-qualify EMC Directive on the complete installation again. The EMC tests mentioned above are performed using a well defined metal plate to simulate said metal enclosure. For guidance on how to perform these EMC tests, please refer to "EMI testing of component power supplies".(as available on http://www.meanwell.com)" and TDF (Technical Documentation File). | | | | | | | |
| This Declaration is effective from serial number RC0xxxxxxx | | | | | | | |
| Person responsible for marking this declaration: | | | | | | | |
| MEAN WELL Enterprises C | Co., Ltd. | | | | | | |
| (Manufacturer Name) No.28, Wuquan 3rd Rd., W | ugu Dist., N | lew Taipei City 24891 | , Taiwan | | | | |
| (Manufacturer Address) | | -1 | | | | (a) | |
| Johnny Huang/Manager, Certification Center: (Name / Position) | | (Signature) | Alex Tsai/Director, Marketing Department : (Name / Position) (Signature) | | | (Signature) | |
| Taiwan (Place) | | Jan. 6th, 2020 (Date) | | | | | |