

SI-10014

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2 Ratings and principal characteristics

Trademark (if any)

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

DIN RAIL Power supply

MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan

MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan

See page 2

 □ Additional Information on page 2 See page 2



TDR-960-x (x=24, 36 or 48)

Unit also complies with EN 62368-1:2014 + A11:2017.

Additional Information on page 2

IEC 62368-1:2014

T223-0535/22 (2022-09-07)

This CB Test Certificate is issued by the National Certification Body



SIQ Ljubljana, Mašera-Spasićeva ulica 10, SI-1000 Ljubljana, Slovenia T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.si

SIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the field of certification of products, processes and services.

Date: 2022-09-07



SI-10014

Name and address of the factories:

MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan

SuZhou MEAN WELL Technology Co., Ltd. No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, China

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH. No. 11 Jingu South Road, Huadong Town, Huadu District, Guangzhou Guangdong 510890, China

YONGDEN TECHNOLOGY CORPORATION 345 MacArthur HighWay Tabang, Guiguinto, Bulacan 3015, Philippines

Rating and principal characteristics:

I/P: 380-500 Vac Three-Phase; 2.0 A; 50/60 Hz O/P: +24 Vdc / 40 A (for model TDR-960-24); +36 Vdc / 26.5 A (for model TDR-960-36); +48 Vdc / 20 A (for model TDR-960-48)

Additional information (if necessary)

Date: 2022-09-07

Signature: Bojan Pečavar

Peior &-