



UK Declaration of Conformity

For the following equipment:

Product Name: Switching Power Supply

Model Designation: UMP-400-24, UMP-400-48, NID35-05, NID35-12, NID35-15, NID35-24, NID65-05,

NID65-12, NID65-15, NID65-24, NID100-05, NID100-12, NID100-15, NID-100-24

The designated product(s) is(are) in conformity with the relevant legislation:

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012: SI 2012 No. 3032

Electrical Equipment (Safety) Regulations 2016:

BS EN 62368-1:2014+A11:2017 Dekra certificate No : 35-126385

Electrical Compatibility Regulations 2016:

EMI (Electro-Magnetic Interference)

Conducted emission / Radiated emission

| | BS EN 55032:2015+A11:2020 | Class B | |
|------------------|------------------------------|---------|--|
| Harmonic current | BS EN IEC 61000-3-2:2019 | | |
| Voltage flicker | BS EN 61000-3-3:2013+A1:2019 | | |

EMS (Electro-Magnetic Susceptibility)

BS EN 55035-2017+411-2020

| BS EN 55035:2017+A11:2 | 020 | | | |
|---------------------------|--|---------|----------------|--|
| ESD air | BS EN 61000-4-2:2009 | Level 3 | 8KV | |
| ESD contact | BS EN 61000-4-2:2009 | Level 2 | 4KV | |
| RF field susceptibility | BS EN IEC 61000-4-3:2020 | Level 2 | 3V/m | |
| EFT bursts | BS EN 61000-4-4: 2012 | Level 2 | 1KV/5KHz | |
| Surge susceptibility | BS EN 61000-4-5:2014+A1:2017 | Level 3 | 1KV/Line-Line | |
| Surge susceptibility | BS EN 61000-4-5:2014+A1:2017 | Level 3 | 2KV/Line-Earth | |
| Conducted susceptibility | BS EN 61000-4-6:2014 | Level 2 | 3V | |
| Magnetic field immunity | BS EN 61000-4-8:2010 | Level 1 | 1A/m | |
| Voltage dip, interruption | BS EN IEC 61000-4-11:2020 <5% residual voltage for 0.5 cycles ,70% residual voltage for 25 cycles , <5% residual voltage for 250 cycles | | | |

Note:

A component power supply with load will be installed into final equipment which consists of an electronically shielded metal enclosure. Since EMC performance will be affected by the complete installation, the final equipment manufacturers must re-qualify EMC Directive on the complete installation again.

The EMC tests mentioned above are performed using a well defined metal plate to simulate said metal enclosure. For guidance on how to perform these EMC tests, please refer to "EMI testing of component power supplies".(as available on http://www.meanwell.com)" and TDF (Technical Documentation File).

This Declaration is effective from serial number SC2xxxxxxx

Person responsible for marking this declaration:

MEAN WELL Enterprises Co., Ltd.

(Manufacturer Name)

No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 24891, Taiwan

(Date)

(Manufacturer Address)

Aries Jian/ Director, Group R&D:

(Name / Position)

Taiwan (Place) (Signature) ries

Alex Tsai/ Director, Product Strategy Center:

(Name / Position)

Dec. 5th, 2022

(Signature)